




INA LASE50-N bearing units



LASE50-N Bearing 2D drawings and 3D CAD models

Bearing No. LASE50-N

Bore Diameter	50 mm
d	50 mm
S1	38,2 mm
Thread (Q)	Rp1/8
d3	69 mm
A	54 mm
A1	34 mm
B1	62,8 mm
H	57,2 mm
H1	21,5 mm
H2	115 mm
J	158 mm
L	200 mm
N	18 mm
N1	23 mm
Weight	2,82 Kg
Basic dynamic load rating (C)	35 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	3.2
EAN	4012802798258
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



## Lamar parts manufacturing company

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE50KLLHB
Seals	Double Non Contact Labyrinth
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Radial   Standard Shaft Height   Extended Inner Race   Metric   With Set Screw
Long Description	2 Bolt Pillow Block; 50MM Bore; 57.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 151.5MM Minimum Bolt Spacing; 163.5MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Non Co
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	LASE50
Weight / LBS	7.056
Bolt Spacing Maximum	6.437 Inch   163.5Millimeter
Length Thru Bore	2.469 Inch   62.7 Millimeter
Bolt Spacing Minimum	5.965 Inch   151.5Millimeter
Bore	1.969 Inch   50 Millimeter
Nominal Bolt Center to	6.3 Inch   160 Millimeter



## Lamar parts manufacturing company

Center	
Base to Center Height	2.252 Inch   57.2 Millimeter